We claim:

1. A method of inhibiting restenosis comprising administering to a subject a pharmaceutically effective dose of a wortmannin analog having the following general chemical formula:



or



wherein Y is a heteroatom and R1 or R2 are unsaturated alkyl, non-linear alky, branched alky, substituted alkyl or cyclic alkyl respectively.

2. The method of claim 1, wherein the chemical formula corresponds to:



or



3. The method of claim 1, wherein the chemical formula corresponds to:



4. The method of claim 1, wherein the chemical formula corresponds to:



or



5. The method of claim 1, wherein the chemical formula corresponds to:



6. The method of claim 1, wherein the chemical formula corresponds to:



or



7. The method of claim 1, wherein the chemical formula corresponds to:



8. A stent comprised of a stent body coated with a compound of the following formula:



or



wherein Y is a heteroatom and R1 or R2 are unsaturated alkyl, non-linear alky, branched alky, substituted alkyl or cyclic alkyl respectively.

9. The stent of claim 8, wherein the compound has the formula:



or



10. The stent of claim 8, wherein the compound has the formula::



11. The stent of claim 8, wherein the compound has the formula::



or



12. The stent of claim 8, wherein the compound has the formula::



13. The stent of claim 8, wherein the compound has the formula::



or



14. The stent of claim 8, wherein the compound has the formula::



15. The stent of claim 10, wherein the compound is releasable from a sustained release matrix.

16. The stent of claim 12, wherein the compound is releasable from a sustained release matrix.

17. The stent of claim 14, wherein the compound is releasable from a sustained release matrix.